Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

# INDEX TO VOLUME III

(New names and final members of new combinations are in **heavy-face type.**)


*Acer saccharinum*, growth of roots of, 384
*Achyranthes chinensis*, 574
*Aecidium sorbi*, 44
*Agaricus chinensis*, 575
*Albizzia* **chinensis,** 575
Algae, periodicity of freshwater, 121
Alkaloids, physiological observations on, 1; distribution of, in the plant, 6; formation of, 7
ALLARD, H. A. Effect of environmental conditions upon the number of leaves and the character of the inflorescence of tobacco leaves, 493
ALLEN, CHARLES E. Four-lobed spore mother cells in Catharinea, 456
Anatomy and phylogenetic position of the Betulaceae, 415
Anatomy of Peridermium galls, 12
Angiosperm leaves, climatic distribution of certain types of, 24
Angular micrometer and its use in delicate and accurate microscopic measurements, 393
APPLEMAN, CHARLES O. Relation of oxidases and catalase to respiration in plants, 223
Archegonium and sporophyte of *Treubia insignis* Goebel, 261
ARTHUR, J. C. A Gymnosporangium with repeating spores, 39
*Atropa belladonna*, alkaloids in, 10

BAILEY, IRVING W. AND EDMUND W. SINNOTT. The climatic distribution of certain types of Angiosperm leaves, 23
*Bambusa*, Blanco's species of, 58; *Blumeana*, 60; *vulgaris*, 61
Barium, specific action of, 481
BARTLETT, HARLEY HARRIS. (See True, R. H., 47.)
Belladonna roots, total alkaloids in, 10
Betulaceae, anatomy and systematic position of, 415
BISBY, G. R. The Uredinales found upon the Onagraceae, 527
Blanco's species of Bambusa, 58
Bog water, toxicity of, 436
*Briza elegans*, 576
BROOKS, S. C. Studies on exosmosis, 483; A study of permeability by the method of tissue tension, 562
BROWN, WILLIAM H. The mechanism of movement and the duration of the effect of stimulation in the leaves of Dionaea, 68

CAMPBELL, DOUGLAS HOUGHTON. The archegonium and sporophyte of *Treubia insignis* Goebel, 261
Carbohydrates and proteins, specificity of, in relation to genera, species and varieties, 91
*Carya laciniosa*, growth of roots of, 384
Catalase, relation of, to respiration in plants, 223
*Catesbaea? javanica*, 577
Catharinea, four-lobed spore mother cells of, 456
*Ceratolobus* **javanicus,** 576
*Chamaecyparis nootkatensis*, host for *Gymnosporangium nootkatensis*, 44
Chromosomes, diminutive, in Oenothera mutants, 502
*Citrus grandis*, 578; *limonia*, 578; *sinensis*, 579
*Clematis chinensis*, 579

Climatic distribution of certain types of Angiosperm leaves, 23
*Commelina chinensis*, 580
*Convallaria chinensis*, 580
"Correlation" in rusts, 528
Correlations between morphological characters and the saccharine content of sugar beets, 361
*Cortinarius*, a study of development of, 319; *anfractus*, 321; *armillatus*, 328; *cinnamomeus*, 326; *distans*, 329; *lilacinus*, 330
CROCKER, WILLIAM. Mechanics of dormancy in plants, 99
*Cryptanthus chinensis*, 580
*Cuscuta epilinum*, 185; *epithymum*, 185; *planiflora*, 185; *arvensis*, 185; *indecora*, 185; *coryli*, 185; cephalanthi, 186; *plattensis*, 186; *gronovii*, 187
Cuscutae of North Dakota, 185

*Dendrophthora cupressoides*, osmotic pressure of, 442; *gracilis*, 442; *opuntioides*, 443
*Desmodium* **styracifolium**, 580
Development in the genus Cortinarius, 319
Development of the *Phylloxera vastatrix* leaf gall, 337
Diastase, secretion of, by *Penicillium camembertii*, 234
Dionaea, effect of stimulation on leaves of, 68
Distribution and growth of North Dakota Cuscutae, 185
Dormancy, mechanics of, in plants, 99; causes of, 104
DOUGLAS, GERTRUDE E. A study of development in the genus Cortinarius, 319

EAST, E. M. Significant accuracy in recording genetic data, 211
Effect of environmental conditions upon the number of leaves and the character of the inflorescence of tobacco leaves, 493
Embryo of Gnetum, 173
Endosperm, of Gnetum, 164
*Erythrina variegata*, 586
*Euphorbia maculata*, peroxidase in, 3
Exchange of ions between the roots of *Lupinus albus* and culture solutions containing three nutrient salts, 47
Exosmosis, studies, on, 483

Fertilization, in Gnetum, 161
FROST, HOWARD B. Mutation in *Mattiola annua*, a Mendelizing species, 384
*Fucus maximus*, 581

Gall, caused by Phylloxera, 337; by *Peridermium cerebrum*, 12
Gametophyte, of Gnetum, male, 154; female, 156
GATES, FRANK C. The region of greatest stem thickness in *Raphidophora*, 65
Genetic data, significant accuracy in, 211
*Gigantochloa* **levis**, 61
Gnetum, morphology and affinities of, 135
Growth of forest tree roots, 384
Gymnosporangium with repeating spores, 39
*Gymnosporangium* **nootkatensis**, 44; *Sorbi*, 44

HARRIS, J. ARTHUR & LAWRENCE, JOHN V. On the osmotic pressure of the tissue fluids of Jamaican Loranthaceae parasitic on various hosts, 438
Hawaii, seaweeds of, 474
*Hieracium aurantiacum*, peroxidase in, 3
HOAR, CARL S. The anatomy and phylogenetic position of the Betulaceae, 415
HOLMAN, RICHARD M. The orientation of primary terrestrial roots with particular reference to the medium in which they are grown, 274; Influence of the medium upon the orientation of secondary terrestrial roots, 407

Influence of certain salts and nutrient solutions on the secretion of diastase by Penicillium Camembertii, 234
Influence of the medium upon the orientation of secondary terrestrial roots, 407
Ions, exchange of, between roots of *Lupinus albus* and culture solutions containing three nutrient salts, 47

Keys to rusts on Onagraceae, 531

Latex, physiological observations on, 1; distribution of, in Papaver, 1
LAWRENCE, JOHN V. (See Harris, J. A., 438.)
Leaves, climatic distribution of Angiosperm, 24
*Limnophila* **chinensis,** 581
Longevity of seeds, theories of, 101
Loranthaceae, osmotic pressure of tissue fluids of, 438
*Lupinus albus*, exchange of ions between the roots of, and culture solutions containing three nutrient salts, 47; orientation of roots of, 274
LUTZ, ANNE M. Oenothera mutants with diminutive chromosomes, 502
*Lysichiton camtschatcense* (L.) Schott, and its behavior in sphagnum bogs, 189

MACCAUGHEY, VAUGHAN. The seaweeds of Hawaii, 474
MCDOUGALL, W. B. The growth of forest tree roots, 384
*Mattiola annua*, mutation in, 377
Measurements, accurate microscopic, by means of the angular micrometer, 393
Mechanics of dormancy in plants, 99
Mechanism of movement and the duration of the effect of stimulation in the leaves of Dionaea, 68
*Melia parasitica*, 582
Mendelizing species, 377
MERRILL, E. D. On the identity of Blanco's species of Bambusa, 58; Osbeck's Dagbok Öfwer en Ostindsk Resa, 571
Micrometer, angular, 393
*Monarda chinensis*, 582
Morphology and affinities of Gnetum, 135
Mutation in *Mattiola annua*, a Mendelizing species, 384
Mycorrhizas on oak, hickory and linden, 391

*Nicotiana longiflora*, 215, 220; *paniculata*, 219; *alata*, 219
Notes on the anatomy of Peridermium galls, 12

*Oenothera aberrans*, 512; *Lamarckiana*, 508, 521, 522; *plicatula*, 506, 507; *rubrinervis*, 509, 520
Oenothera mutants with diminutive chromosomes, 502
Onagraceae, Uredinales upon, 527; index to rusts on, 561
Orientation of primary terrestrial roots with particular reference to the medium in which they are grown, 274
Osbeck's Dagbok Öfwer en Ostindsk Resa, 571
Osmotic pressure of the tissue fluids of Jamaican Loranthaceae parasitic on various hosts, 438
OSTERHOUT, W. J. V. Specific action of barium, 481
Oxidases, physiological observations on, 1; distribution of in Papaver, 1; 223

*Papaver somniferum*, alkaloids, latex and oxidases in, 1
*Penicillium camembertii*, secretion of diastase by, 234
Peridermium galls, anatomy of, 12
Periodicity of freshwater algae, 121
Permeability, study of, by the method of tissue tension, 562
*Phoradendron flavens*, osmotic pressure of, 440
*Phthirusa lepidobotrys*, osmotic pressure of, 440; *parviflora*, 441; *pauciflora*, 441
Phylloxera leaf gall, 337
Phylogenetic position of the Betulaceae, 415

Physiological observations on alkaloids, latex and oxidases in *Papaver somniferum*, 1
*Phytolacca? javanica*, 583
PICKETT, F. L. The wandering tapetal nuclei of Arisaema, 461
*Pinus Banksiana*, host of *Peridermium cerebrum*, 13
*Pisum sativum*, orientation of roots of, 274
Potato tubers, oxidase and peroxidase in, 6
PRITCHARD, FREDERICK J. Correlations between morphological characters and the saccharine content of sugar beets, 361
Proteins and carbohydrates, specificity of, in relation to genera, species and varieties, 91
Pubescence, variable, in plants, 470
PULLING, HOWARD E. The angular micrometer and its use in delicate and accurate microscopic measurements, 393

*Quercus alba*, growth of roots of, 384

*Raphidophora merrillii*, 66; region of greatest stem thickness in, 65
Relation of oxidases and catalase to respiration in plants, 223
REICHERT, EDWARD TYSON. The specificity of proteins and carbohydrates in relation to genera, species and varieties, 91
Repeating spores of Gymnosporangium, 40
Respiration in plants, relation of oxidases and catalase to, 223
*Rhamnus thea*, 584
RICKER, P. L. Two types of variable pubescence in plants, 470
RIGG, GEORGE B. The toxicity of bog water, 436
ROBBINS, WILLIAM J. Influence of certain salts and nutrient solutions on the secretion of diastase by *Penicillium Camembertii*, 234
Roots, exchange of ions in, 47; orientation of primary, 274; growth of, 384; orientation of secondary, 393
ROSEN, HARRY R. The development of the *Phylloxera vastatrix* leaf gall, 337
Rusts found upon the Onagraceae, 527; Index to, 561

*Schizostachyum* **diffusum**, 62; **lima**, 62; **lumampas**, 63; **textorium**, 64
*Scirpus chinensis*, 584
Seaweeds of Hawaii, 474
Significant accuracy in recording genetic data, 211
SINNOTT, EDMUND W. (See Bailey, I. W., 23)
*Solidago chinensis*, 585
*Sonchus asper*, peroxidase in, 3
Specific action of barium, 481
Specificity of proteins and carbohydrates in relation to genera, species and varieties, 91
Sphagnum bogs, *Lysichiton camtschatcense* in, 189
Spore mother cells in Catharinea, 456
Sporophyte of Treubia, 261
STEVENS, O. A. Notes on the distribution and growth of North Dakota Cuscutae, 185
Stimulation, effect of, on the leaves of Dionaea, 68
STOCKBERGER, W. W. (See True, R. H., 1)
STEWART, ALBAN. Notes on the anatomy of Peridermium galls, 12
Sugar beets, correlations between morphological characters and saccharine contents, 361

Tapetal nuclei of Arisaema, 461
*Taraxacum officinale*, used in studies on exosmosis, 484; on permeability, 562
Tension of tissues, a study of permeability, 562
*Tetradapa javanorum*, 585
THOMPSON, WALTER P. The morphology and affinities of Gnetum, 135
*Tilia americana*, growth of roots of, 384

Tissue tension, a study of permeability by the method of, 562
Tobacco leaves, effect of environmental conditions on, 493
*Torenia glabra*, 586
Toxicity of bog water, 436
TRANSEAU, EDGAR NELSON. The periodicity of freshwater algae, 121
*Trapa bicornis*, 587
*Treubia insignis*, archegonium and sporophyte of, 261
TRUE, RODNEY H. and STOCKBERGER, W. W. Physiological observations on alkaloids, latex and oxidases in *Papaver somniferum*, I; and HARLEY HARRIS BARTLETT. The exchange of ions between the roots of *Lupinus albus* and culture solutions containing three nutrient salts, 47
TURESSON, GÖTE. *Lysichiton camtschatcense* (L.) Schott, and its behavior in sphagnum bogs, 189
Types of variable pubescence in plants, 470

Uredinales found upon the Onagraceae, 527; index to, 561
*Uredo nootkatensis*, 44; *Chamaecyparidisnutkaensis*, 44
*Urena chinensis*, 587

*Vicia faba*, orientation of roots of, 288, 292, 298, 301, 314, 408, 410, 412; *sativa*, 288
*Vitis vulpina*, Phylloxera leaf gall on, 337